

WALLBOX ARCH 16FT



PRODUCT CATEGORY: WALLBOX DISPLAYS

PRODUCT CODE: WB-ARCH16



On Frame

OnGraphic



INCLUDES TRAVEL BAG
SKU:WB_BAG

PRODUCT DESCRIPTION

Introducing the Wallbox Arch 16ft., a masterfully designed showcase that seamlessly combines elegance and functionality. Crafted with a robust 30mm aluminum tube frame, this archway exhibit is a beacon of sophistication, commanding attention at every indoor event.

Customization takes center stage with the Wallbox Arch, featuring custom printed dye sublimated graphics that bring your brand's identity to life. The graphics are expertly finished with a pillowcase-style presentation, showcasing precision and attention to detail, while the #10 zipper closure ensures a polished and professional look.

Designed to be a versatile focal point, the Wallbox Arch is perfect for a myriad of settings, from event entrances and tradeshow to exhibitions, start/finish lines, concerts, and other events. Its impressive dimensions of 16 feet in width, 11 feet in height, and 2 feet in depth create a captivating structure that leaves a lasting impression.

The strategically positioned 10-foot wide by 8-foot tall opening in the middle adds a dynamic element to the arch, creating a welcoming passage that beckons attendees to explore what lies beyond. Assembling the Wallbox Arch is a breeze, thanks to its tool-free assembly and spring push-button connection, allowing you to focus on the success of your event rather than the setup.

For added convenience, the Wallbox Arch comes complete with a travel bag, facilitating easy transportation and storage between events. Elevate your brand's presence and make a powerful statement with the Wallbox Arch 16ft. – where style meets functionality, leaving a lasting impression on your audience.

*Recommended for indoor use only

DISPLAY DIMENSIONS	192"W x 132"H x 24"D
GRAPHIC DIMENSIONS	See Templates

GRAPHIC MATERIAL

Dye Sublimated Stretch Fabric

GRAPHIC FINISHING

Pillowcase graphic finishing with white #10 zipper closure across the top of the graphic. Top of arch and bottom of feet are blank white stretch fabric

DISPLAY CONSTRUCTION

30mm aluminum tubing with plastic connectors

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	89 lbs (Graphic Package)
	76 lbs (Hardware Only)
	13 lbs (Graphic Only)
Shipping Dimensions	54" L x 11.25" W x 11.25" H (Graphic Package)
	54" L x 11.25" W x 11.25" H (Hardware Only)
	Poly Bag (Graphic Only)

Tube Connection



Press button & insert swaged end into receiving end of tubing



WALLBOX ARCH 16FT

PRODUCT CATEGORY: WALLBOX DISPLAYS


PRODUCT CODE: WB-ARCH16




On Frame

OnGraphic

DISPLAY DIMS



TEMPLATE GUIDE



- 1. Top Header Front
- 2. Top Header Back
- 3. Left Column Front
- 4. Left Column Back
- 5. Right Column Front
- 6. Right Column Back

- 7. Left Column Inner
- 8. Right Column Inner
- 9. Left Column Outer
- 10. Right Column Outer
- 11. Header Bottom

NUMBERS ON THE IMAGE ABOVE INDICATE THE TEMPLATE LOCATION # ON FRAME
PLEASE ADD TEMPLATE LOCATION # TO END OF FILENAME. EX: "WB-ARCH16-1"

WALLBOX ARCH 16FT

PRODUCT CATEGORY: WALLBOX DISPLAYS


PRODUCT CODE: WB-ARCH16




On Frame

OnGraphic

SET UP INSTRUCTIONS/PARTS LIST OUTER FRAME ASSEMBLY




Define the location of the plastic connectors




PUSH
Press button & insert swaged end into receiving end of tubing




Press button & insert swaged end into receiving end of tubing




PUSH
Attach the female tube in the right position and push the button, and slide the tube




CLICK*
Push the female tube until the button snaps



PUSH
Place the female tubes in the right position



CLICK*
Push the female tube until the button snaps



CLICK*
Push the female tube until the button snaps

WALLBOX ARCH 16FT

PRODUCT CATEGORY: WALLBOX DISPLAYS



PRODUCT CODE: WB-ARCH16




On Frame

OnGraphic

INNER FRAME ASSEMBLY




Define the location of the plastic connectors




PUSH
Press button & insert swaged end into receiving end of tubing




Press button & insert swaged end into receiving end of tubing




PUSH
Attach the female tube in the right position and push the button, and slide the tube




CLICK*
Push the female tube until the button snaps



PUSH
Place the female tubes in the right position



CLICK*
Push the female tube until the button snaps



CLICK*
Push the female tube until the button snaps